






PROPOSED COMMUNITY LIBRARY ON LOT NO. 5-7 ,
JALAN HAJI SALEH, OFF JALAN SENTUL,
MUKIM BATU KUALA LUMPUR.

PROJECT LEADER
AR. LAI SZE CHUN

PROJECT MEMBERS
LING SIAW ZU
HOOI WEI XING
TANG KAR JUN
YAP CHUN YEW

DRAWING LIST	DRAWN BY			SHEET NO.
COVER PAGE	YAP CHUN YEW			1
PELAN KUNCI, PELAN LOKASI PELAN TAPAK (CONSTRUCTION DRAWING)	YAP CHUN YEW			2A
PELAN KUNCI, PELAN LOKASI PELAN TAPAK (FIRE FIGHTING DRAWING)	YAP CHUN YEW	HOOI WEI XING	LAI SZE CHUN	2B
PELAN ARAS BAWAH TANAH (CONSTRUCTION DRAWING)	HOOI WEI XING	LAI SZE CHUN	LING SIAW ZU	3A
PELAN ARAS BAWAH TANAH (FIRE FIGHTING DRAWING)	HOOI WEI XING	LAI SZE CHUN	LING SIAW ZU	3B
PELAN ARAS TANAH (CONSTRUCTION DRAWING)	HOOI WEI XING	LAI SZE CHUN	LING SIAW ZU	4A
PELAN ARAS TANAH (FIRE FIGHTING DRAWING)	HOOI WEI XING	LAI SZE CHUN	LING SIAW ZU	4B
PELAN ARAS SATU (CONSTRUCTION DRAWING)	HOOI WEI XING	LAI SZE CHUN	LING SIAW ZU	5A
PELAN ARAS SATU (FIRE FIGHTING DRAWING)	HOOI WEI XING	LAI SZE CHUN	LING SIAW ZU	5B
PELAN ARAS DUA (CONSTRUCTION DRAWING)	HOOI WEI XING	LAI SZE CHUN	LING SIAW ZU	6A
PELAN ARAS DUA (FIRE FIGHTING DRAWING)	HOOI WEI XING	LAI SZE CHUN	LING SIAW ZU	6B
PELAN ARAS BUMBUNG (CONSTRUCTION DRAWING)	HOOI WEI XING	LAI SZE CHUN	LING SIAW ZU	7
PANDANGAN HADAPAN (CONSTRUCTION DRAWING)	HOOI WEI XING			8
PANDANGAN BELAKANG (CONSTRUCTION DRAWING)	HOOI WEI XING			8
KERATAN A-A (CONSTRUCTION DRAWING)	TANG KAR JUN			9
KERATAN B-B (CONSTRUCTION DRAWING)	TANG KAR JUN			9
JADUAL PINTU (CONSTRUCTION DRAWING)	LING SIAW ZU			10, 11
JADUAL TINGKAP (CONSTRUCTION DRAWING)	LING SIAW ZU			12, 13
CLIENT	AR. CHERYL			NO. 1, JALAN TAYLORS, 47500 SUBANG JAYA, SELANGOR DARUL EHSAN MALAYSIA. TEL: 03-81234567 FAX: 03-87959876
ARCHITECT	AR. LAI SZE CHUN			WFFT Sdn. Bhd. NO. 1, JALAN TAYLORS, 47500 SUBANG JAYA, SELANGOR DARUL EHSAN MALAYSIA. TEL: 03-56231100 FAX: 03-23555222
CIVIL & STRUCTURAL ENGINEER	SHR SDN. BHD.			NO 37G, Jalan 3/26, Taman Desa Baki, 68100 Kuala Lumpur. TEL: 03-61369840 FAX: 03-55647216
MECHANICAL & ELECTRICAL ENGINEER	INTEGRITY SDN. BHD.			Unit 1-3-1, Area 3, Wisma Prima Petrolab, Jalan Setiawangsa 11, Taman Setiawangsa, 54200 Kuala Lumpur TEL: 03-41421479 FAX: 03-15362258
QUANTITY SURVEYOR	PERUNDING RPM SDN. BHD.			Jalan Pekoja 3, Kota Damansara, 47810 Petaling Jaya, Selangor TEL: 03-61481120 FAX: 03-61481120
SHEET NO.	1			
				SHEET NO.



BUILDING NOTES

- The drawing is copyright and is the property of Co. No part or whole drawings shall be copied/ reproduced without permission.
- Contractors must check all dimension on sites. Only figure dimensions are to be worked on.
- All discrepancies must be reported immediately to the architect before proceeding.
- All construction shall be responsible for the protection of and the safety in and around the job site and of adjacent properties.
- Contractor and/ or owner shall keep loads on the structure within the limits of the design both during and after construction.
- Compliance with codes and ordinances governing the work shall be made and enforced by the general contractor.
- Note that all written dimensions take precedence over scale.
- Manufacturer's specifications for installation of materials shall be followed.
- Workmanship throughout shall be of the best quality of the trade involved and the general contractor shall coordinate the work of the various trades to expedite the job in a smooth and continuous process.
- Subdivisions of lots to be carried out in accordance with approved R.S. Plan.
- These works are to be carried out under the supervision of ARCHITECT.
- Figured dimension to be carried out before those measured by scale.
- Subsoil investigation to be carried out before development commences.
- To submit Land Clearance Certificate.
- R.C. Details and Calculations to be submitted by ENGINEERS before commencing building operations.
- Roads and Drains to be made up in accordance with approved Road & Drainage Plans before commencing building operations.

- All building materials and debris to be removed from site on completion of works.
- No building materials are to be deposited on any public streets, drains and open space.
- No Occupational Certificate will be issued unless all materials, refuse debris are removed from site.
- D.P.C. to be provided to all B.W.K.
- All mass conc. to be 1:3: 6 and reinf. conc. 1: 2: 4.
- Walls of W.C. to have 5'-0" high glazed tiles and all corners rounded off.
- All structural timber to be of secondary hardwood and tanalised.
- Provide Iron Gratings to the sublet.
- Provide water supply to 3KR specifications.
- Sanitary, Road and Drainage Plans shall be submitted separately and approved before commencing building operations.
- All sanitary ware C.I. pipes to be fitted with inspection covers.
- Concrete lintels over door and window frames must be properly reinforced according to the span of lintels and supported independently without bearing the load directly over the frames.
- All foundations shall be confined within the limit of the Lot Boundary and no encroachment shall be permitted outside the property limits.
- Building construction shall not commence until plans for hoarding have been submitted and approved and the hoarding erected and inspected.
- Hoarding shall be not less than 8 feet high with slanting top and pedestrian walkway and shall be properly anchored to the ground.

KEHENDAK- KEHENDAK JABATAN BOMBA & PENYELAMAT BAGI BANGUNAN TINGKAT KEHENDAK-KEHENDAK JABATAN BOMBA & PENYELAMAT BAGI BANGUNAN 1-5 TINGKAT

Pelan Tapak

- Adakan buah pili bomba jenis tiang pengeluaran dua hala dengan pengeluaran air sebanyak 1362 liter seminit bagi setiap pili bomba dan 2724/4086 liter/min apabila 2/3 buah pili bomba dibuka serentak (Pressurized Hydrant). Paip-paip yang digunakan untuk sistem pili bomba hendaklah dari jenis C.I. kelas 'C' atau 'Steel Line Cement Pipe'. 'Fitting' yang digunakan untuk jenis paip-paip tersebut hendaklah dibuat daripada 'Wrought Steel'.
- Mengadakan 2 talian hos berukuran 64mm x 30m dan sebatang nozzle dari jenis 'Jet & Spray' yang ditempatkan di dalam peti kabinet berhampiran dengan tap-tap pili bomba.
- Adakan jalan akses perkasas bomba (access road) dengan kelebaran tidak kurang 6 meter yang boleh menampung beban 25 tan sepertimana yang ditandakan di dalam pelan.
- Kecamatan jalan akses perkasas bomba hendaklah tidak kurang 1:12
- Ketinggian ketinggian hendaklah tidak kurang daripada 5 meter.
- Jarak antara bangunan hendaklah mematuhi Jadual Ke Enam UBBL 1984.

Kehendak-kehendak Am

- Semua pendawaan elektrik bagi sistem kecemasan hendaklah di dalam konduit logam atau daripada kabel yang mempunyai penutup mineral tahan api. Pemasangannya hendaklah sepanjang kawasan yang paling kurang risiko kebakarannya dan mematuhi UUK 253, UKBS 1984.
- Semua elemen struktur hendaklah mempunyai tempoh ketahanan api mengikut UBBL 1984.
- Adakan sistem pengudaraan bagi tangga keselamatan samada secara biasa atau mekanikal.
- Semua papan tanda keselamatan kebakaran hendaklah mematuhi MS 982:1985
- Sila kemukakan tiga (3) set buku operasi mengikut syarat-syarat Jabatan Bomba dan Penyelamat Malaysia.

Kehendak-kehendak Asot

- Adakan unit penggera kebakaran jenis pecah kaca mengikut syarat-syarat penentuan Tataterbi Amalan Pawaiwan British atau mana-mana yang dibenarkan oleh Jabatan Bomba dan Penyelamat Malaysia.
- Adakan suis pengasingan elektrik (electrical isolation switch) dan hendaklah tidak menjejaskan apabila ia ditutup.
- Adakan sistem siriraya awam (public address system) dan pemasangannya hendaklah menepati kehendak-kehendak Jabatan Bomba dan Penyelamat Malaysia.
- Adakan sebuah pusat pemerinahan dan kawalan kebakaran di lantai tetuan (designated floor) yang dilengkapi dengan peti penggera kebakaran.
- Adakan unit alat pemadam api yang bersesuaian menurut MS 1539-Part1:2002 sepertimana yang ditandakan di dalam pelan.
- Ruangan bilik lii hendaklah dilingkungi dibina dari bahan rintangan api dua jam dan hendaklah dilingkungi dengan alat pengesan asap mengikut UBBL 1984.
- Adakan sistem komunikasi bomba (telefon bomba). Sistem komunikasinya hendaklah tiga hala dan penempatannya didalam tangga keselamatan/loti menentang kebakaran, bilik motor lif, bilik pam bomba dan bilik jana kuasa.
- Adakan lampu tanda 'KELUAR' kecemasan yang menggunakan dua kuasa karan sepertimana yang ditandakan di dalam pelan.
- Lampu-lampu tersebut hendaklah dari jenis yang dibenarkan oleh Jabatan Bomba dan Penyelamat Malaysia.
- Adakan lampu kecemasan yang menggunakan dua kuasa karan sepertimana yang ditandakan di dalam pelan.
- Lampu-lampu tersebut hendaklah dari jenis yang dibenarkan oleh Jabatan Bomba dan Penyelamat Malaysia.

Kehendak-kehendak Pasif

- Penggunaan sling bangunan hendaklah menepati kehendak-kehendak UBBL 1984.
- Semua tangga keselamatan hendaklah dikelopng dengan tembok batu bata setebal 115mm atau tangga terbuka yang memenuhi kehendak-kehendak UBBL 1984 sepertimana yang ditandakan di dalam pelan.
- Adakan pintu rintangan api satu jam sepertimana yang ditandakan di dalam pelan. Pemasangannya hendaklah tertutup sendiri dan tertutup rapat.
- Dinding bagi setor yang disalurkan berbahaya hendaklah setebal 100mm batu bata dan pintunya dari jenis rintangan api satu jam dipasang dengan 'door-closer'.
- Semua lubang perkhidmatan (service shaft) hendaklah ditutup di setiap tingkat dengan bahan rintangan api dua jam.
- Semua bilik bagi penempatan pam bomba dan janakuasa hendaklah dibina dari tembok batu batayang tahan rintangan api dua jam. pintu-pintunya hendaklah dari rintangan api satu jam.
- Semua dinding pembahagi dalam hendaklah dari jenis rintangan api 1/2 jam dan dari jenis yang dibenarkan oleh Jabatan Bomba dan Penyelamat Malaysia.

Peringatan

- Sepala syarat-syarat yang dikemukakan adalah tertakuk kepada rekabentuk dan kegunaan serta lokasi bangunan tersebut. Sekiranya sebarang perubahan yang dilakukan ke atas rekabentuk atau kegunaannya seperti yang dicatitkan di atas pelan maka hendaklah dirujuk kegabatan ini dikaji semula.
- Sepala pemilihan bahan dan penggunaannya yang berkaitan dengan keselamatan kebakaran bagi projek cadangan serta sistem pencegahan kebakaran hendaklah mematuhi UBBL 1984 dan peraturan-peraturan yang diterima sahaja dan yang dibenarkan oleh Jabatan Bomba dan Penyelamat Malaysia.
- Penggunaan pelan ini adalah tidak tertakuk kepada penyimpanan, penggunaan, pemprosesan dan penghaciran bahan berbahaya atau kimia berbahaya setelah pelan disahkan maka pelan bangunan tersebut hendaklah dirujuk kembali ke jabatan ini untuk dikaji semula.
- Pelan lukisan dan pengiraan bagi semua pemasangan tetap hendaklah dikemukakan ke Jabatan Bomba dan Penyelamat Malaysia. Jumlah pelan-pelan yang dikemukakan hendaklah tidak kurang (3) pererunggu.
- Mana-mana premis yang mengendalikn, memproses atau menyimpan bahan-bahan bahaya hendaklah diadakan tanda khas mengikut simbol 'Hazard Code'. Tanda-tanda hendaklah mudah dilihat.

All designs are the sole property of WFFT Sdn. Bhd. and cannot be used without their permission.
All prints and their copyright are the property of WFFT Sdn. Bhd. and shall be returned at the completion of the work.
All dimension are in METRIC and shall be checked on site before commencing any work. Any discrepancies must be reported immediately to the Architect before proceeding.

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

- | | |
|---|---|
| ☐ SCHEMATIC DESIGN | ☐ TENDER DRAWING |
| ☐ DESIGN DEVELOPMENT | ☐ CONSTRUCTION DRAWING |

ARCHITECT :

SUBMITTING ARCHITECT

Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Kecil Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.



Az. Lai Sze Chun
B. App. Sc. (Arch), B. (Arch)
APAM M 1984, LAM AL 324

WFFT Sdn. Bhd. (No. Syarikat: 5202387A)
a NO.1, TINGKAT 16, JALAN TAYLORS,
47500 SUBANG JAYA, SELANGOR
DARUL EHSAN, MALAYSIA.
tel 603 5623 1100 fax 603 2335 5222
email info@wfft.com

CIVIL AND STRUCTURE ENGINEER

SHR Sdn. Bhd. (No. Syarikat: 12354P)

a NO 37G, Jalan 3/2B, Taman Desa Bakti, Taman Desa Bakti,
68100 Kuala Lumpur, Federal Territory of Kuala Lumpur
tel 603 6136 0840 fax 603 5564 7216
email admin@shr.com

MECHANICAL AND ELECTRICAL ENGINEER

Integrity Engineering Sdn. Bhd. (No. Syarikat: 23784H)

a Unit 1-3-1, Aras 3, Wisma Prima Peninsula, Jalan Selawangsara 11, Taman
Selawangsara, 54200 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur
tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR

Perunding RPM Sdn. Bhd. (No. Syarikat: 12512192)

a Jalan Pekaka 8/4, Kota Damansara,
47810 Petaling Jaya, Selangor
tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com

PROJECT TITLE

CADANGAN PEMBANGUNAN SATU
PERPUSTAKAAN 4 TINGKAT YANG
MENGANDUNGI :

1. 1 TINGKAT KAWASAN MUZIK
CAFE DAN RESTORAN DI
TINGKAT 1.
2. 2 TINGKAT TEMPAT MEMBACA DI
TINGKAT 2 HINGGA TINGKAT 3.
3. 1 TINGKAT RUANG SERBAGUNA DI
TINGKAT 4.

DI ATAS LOT NO. 5-7, JALAN HAJI
SALEH, OFF JALAN SENTUL, MUKIM BATU
KUALA LUMPUR.

CLIENT

MS CHERYL

a NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA,
SELANGOR DARUL EHSAN, MALAYSIA.
tel 603 5625 5000 fax 603 5625 5001

DRAWING TITLE:

PELAN KUNCI, PELAN LOKASI, PELAN TAPAK

DRAWING NO. :

2016/ARC3524/BT2/P1/2A

DRAWN BY :

YAP CHUN YEW

CHECKED BY:

LAI SZE CHUN

SKALA :

AS SHOWN


TARIKH :

10-10-2016

SHEET NO. :

2A

13



JADUAL PENGIRAAN PENGUDARAAN DAN PENCAHAYAAN						
SPACE	AREA IN SQ.M.	NATURAL VENTILATION (10%)			NATURAL LIGHTING (10%)	
		REQUIRED	PROVIDED	REMARKS	REQUIRED	PROVIDED
LOWER GROUND FLOOR						
MUSIC CAFE	65.82	6.58	12.50		6.58	12.50
KITCHEN	4.60	0.46	2.94		0.46	5.73
UNISEX TOILET	16.88	1.69	9.65		1.69	9.65
STAIRCASE 1	16.87	1.69	-	MECHANICAL VENTILATION	1.69	-
STAIRCASE 2	12.82	1.28	6.84		1.28	6.84

FINISHES SCHEDULE		WALL FINISH CODE	CEILING FIN CODE
		FLOOR FINISH CODE	SKIRTING FINISH CODE
		VENTILATION	CEILING HT (M)
		SPACE AREA (SQM)	
		F.F.L.	
SYMBOL	CEILING SPECIFICATION		
PP	PLASTERED AND PAINTED		
AP	ACOUSTIC PANEL		
UF	UNFINISHED		
TP	TIMBER PANEL		
SYMBOL	WALL SPECIFICATION		
PP	PLASTERED AND PAINTED		
CT	CERAMIC TILE		
UF	UNFINISHED		
SYMBOL	FLOOR SPECIFICATION		
PP	PLASTERED AND PAINTED		
CT	CERAMIC TILE		
CR	CEMENT RENDER		
CA	CARPET		
TP	TIMBER PANEL		
EA	EARTH		
SYMBOL	SKIRTING SPECIFICATION		
CT	CERAMIC TILE		
VENTILATION SCHEDULE			
NV	NATURAL VENTILATION		
MV	MECHANICAL VENTILATION		
AC	AIR CONDITIONED		
DOORS SCHEDULE			
SYMBOL	DOOR TYPE		
D1	50mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR TO MANUF. DETAILS.		
D2	50 x 150mm WIDTH ALUMIN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMIN. DOOR HINGES TO MANUF. DETAIL.		
D3	50 x 150mm WIDTH ALUMIN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMIN. DOOR HINGES TO MANUF. DETAIL.		
D4	38mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR WITH 150MM HIGH HEELSTONE TO MANUF. DETAIL.		
D5	50 x 150mm WIDTH ALUMINUM PIVOT DOOR FRAME, FLUSH GLASS DOOR TO MANUFACTURERS DETAILS.		
SD1	NATURAL ANODIZED ALUMIN. DOOR SHOP FRONT C/W MOTORIZED 12MM THK CLEAR TEMPERED GLASS DOUBLE SLIDING DOOR TO MANUF. DETAIL.		
SD2	FRAMELESS 12MM THK FROSTED TEMPERED GLASS SLIDING DOOR PANEL TO MANUF. DETAIL.		
SD3	WOODEN FLUSH SLIDING DOOR WITH PROTECTION PLATE TO MANUF. DETAIL.		
D1	50 x 150mm WIDTH GALVANIZED METAL DOOR FRAME, 2 HOURS FIRE RATED TIMBER FLUSH DOOR LEAVES WITH EMERGENCY PUSHBAR AND SELF CLOSER DEVICE TO MANUF. DETAIL.		
WINDOW SCHEDULE			
SYMBOL	WINDOW TYPE		
W1	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W2	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W3	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W4	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W5	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W6	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W7	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W8	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W9	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W10	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W11	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W12	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W13	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W14	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W15	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		
W16	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINIUM WINDOW FRAME.		

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

☐ SCHEMATIC DESIGN

☐ TENDER DRAWING

☐ DESIGN DEVELOPMENT

☐ CONSTRUCTION DRAWING

ARCHITECT :

SUBMITTING ARCHITECT

Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Kecil Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.

Az. Lai Sze Chun
B. App. Sc. (Arch), B. (Arch)
APAM M 1964, LAM AL 304

(No. Syarikat: 5202387A)

WFFT Sdn. Bhd.

a NO.1, TINGKAT 16, JALAN TAYLORS,
47500 SUBANG JAYA, SELANGOR
DARUL EHSAN, MALAYSIA.
tel 603 5623 1100 fax 603 2335 5222
email info@wfft.com

CIVIL AND STRUCTURE ENGINEER

SHR Sdn. Bhd.

a No 37G, Jalan 3/2B, Taman Desa Baki, Taman Desa Baki,
68100 Kuala Lumpur, Federal Territory of Kuala Lumpur
tel 603 6136 0840 fax 603 5564 7216
email admin@shr.com

MECHANICAL AND ELECTRICAL ENGINEER

Integrity Engineering Sdn. Bhd.

a Unit 1-3-1, Aras 3, Wisma Prima Peninsula, Jalan Selawangs 11, Taman
Selawangs, 54200 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur
tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR

Perunding RPM Sdn. Bhd.

a Jalan Pekaka 8/4, Kota Damansara,
47810 Petaling Jaya, Selangor
tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com

PROJECT TITLE

CADANGAN PEMBANGUNAN SATU
PERPUSTAKAAN 4 TINGKAT YANG
MENGANDUNGI :
1. 1 TINGKAT KAWASAN MUZIK
CAFE DAN RESTORAN DI
TINGKAT 1.
2. 2 TINGKAT TEMPAT MEMBACA DI
TINGKAT 2 HINGGA TINGKAT 3.
3. 1 TINGKAT RUANG SERBAGUNA DI
TINGKAT 4.
DI ATAS LOT NO. 5-7, JALAN HAJI
SALEH, OFF JALAN SENTUL, MUKIM BATU
KUALA LUMPUR.

CLIENT

MS CHERYL

a NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA,
SELANGOR DARUL EHSAN, MALAYSIA.
tel 603 5625 5000 fax 603 5625 5001

DRAWING TITLE:

PELAN ARAS BAWAH TANAH

DRAWING NO. :

2016/ARC3524/BT2/P1/3A

DRAWN BY :
LAI SZE CHUN

CHECKED BY:
LAI SZE CHUN


SKALA :
100

TARIKH :
10-10-2016

SHEET NO. :

3A

13



JADUAL PENGIRAAN PENGUDARAAN DAN PENCAHAYAAN						
SPACE	AREA IN SQ.M.	NATURAL VENTILATION (10%)			NATURAL LIGHTING (10%)	
		REQUIRED	PROVIDED	REMARKS	REQUIRED	PROVIDED
LOWER GROUND FLOOR						
MUSIC CAFE	65.82	6.58	12.50		6.58	12.50
KITCHEN	4.60	0.46	2.94		0.46	5.73
UNISEX TOILET	16.88	1.69	9.65		1.69	9.65
STAIRCASE 1	16.87	1.69	-	MECHANICAL VENTILATION	1.69	-
STAIRCASE 2	12.82	1.28	6.84		1.28	6.84

FINISHES SCHEDULE		WALL FIN.CODE	CEILING FIN.CODE
CEILING		FLOOR FIN.CODE	SKIRTING FIN.CODE
SYMBOL	SPECIFICATION	VENTILATION	CEILING HT. (M)
PP	PLASTERED AND PAINTED	SPACE AREA (SQM)	F.F.L.
AP	ACOUSTIC PANEL		
UF	UNFINISHED		
TP	TIMBER PANEL		
SYMBOL	WALL SPECIFICATION		
PP	PLASTERED AND PAINTED		
CT	CERAMIC TILE		
UF	UNFINISHED		
SYMBOL	FLOOR SPECIFICATION		
PP	PLASTERED AND PAINTED		
CT	CERAMIC TILE		
CR	CEMENT RENDER		
CA	CARPET		
TP	TIMBER PANEL		
EA	SKIRTING		
SYMBOL	SPECIFICATION		
CT	CERAMIC TILE		
VENTILATION SCHEDULE			
NV	NATURAL VENTILATION		
MV	MECHANICAL VENTILATION		
AC	AIR CONDITIONED		

DOORS SCHEDULE	
SYMBOL	DOOR TYPE
(D1)	50mm WIDTH WOODEN DOOR FRAME AND PLYWOOD. FLUSH DOOR TO MANUF. DETAILS.
(D2)	50 x 150mm WIDTH ALUMN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMN. DOOR HINGES TO MANUF. DETAIL.
(D3)	50 x 150mm WIDTH ALUMN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMN. DOOR HINGES TO MANUF. DETAIL.
(D4)	38mm WIDTH WOODEN DOOR FRAME AND PLYWOOD. FLUSH DOOR WITH 150MM HIGH HEELSTONE TO MANUF. DETAIL.
(D5)	50 x 150mm WIDTH ALUMINUM PIVOT DOOR FRAME, FLUSH GLASS DOOR TO MANUFACTURER'S DETAILS.
(SD1)	NATURAL ANODIZED ALUMN. DOOR SHOP FRONT C/W MOTORIZED 12MM THK CLEAR TEMPERED GLASS DOUBLE SLIDING DOOR TO MANUF. DETAIL.
(SD2)	FRAMELESS 12MM THK FROSTED TEMPERED GLASS SLIDING DOOR PANEL TO MANUF. DETAIL.
(SD3)	WOODEN FLUSH SLIDING DOOR WITH PROTECTION PLATE TO MANUF. DETAIL.
(FD1)	50 x 150mm WIDTH GALVANIZED METAL DOOR FRAME, 2 HOURS FIRE RATED TIMBER FLUSH DOOR LEAVES WITH EMERGENCY PUSHBAR AND SELF CLOSER DEVICE TO MANUF. DETAIL.

WINDOW SCHEDULE	
SYMBOL	WINDOW TYPE
(W1)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W2)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W3)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W4)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W5)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W6)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W7)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W8)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W9)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W10)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W11)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W12)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W13)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W14)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W15)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.

FIRE FIGHTING SCHEDULE	
FIRE FIGHTING LEGEND	
(SD)	SMOKE DETECTOR
(FA)	FIRE ALARM AND BREAK GLASS
(DP)	DRY POWDER
(RD)	1 HOUR FIRE RATED DOOR
(HR)	HOSE REEL
(FH)	FIRE HYDRANT
(EL)	EMERGENCY LIGHT
(K)	KELUAR SIGN

All designs are the sole property of WFFT Sdn. Bhd. and cannot be used without their permission.
All prints and their copyright are the property of WFFT Sdn. Bhd. and shall be returned at the completion of the work.
All dimension are in METRIC and shall be checked on site before commencing any work. Any discrepancies must be reported immediately to the Architect before proceeding.

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

☐ SCHEMATIC DESIGN ☐ TENDER DRAWING

☐ DESIGN DEVELOPMENT ☐ CONSTRUCTION DRAWING

ARCHITECT :

SUBMITTING ARCHITECT

Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Kecil Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.

Ar. Lai Sze Chun
B. App. Sc (Arch),
B (Arch)
APAM M 1554,
LAM AIL 324

WFFT Sdn. Bhd. (No. Syarikat: 5262367A)
a NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA, SELANGOR DARUL EHSAN, MALAYSIA.
tel 603 5623 1100 fax 603 2335 5222
email info@wfft.com

CIVIL AND STRUCTURE ENGINEER

SHR Sdn. Bhd. (No. Syarikat: 12335-P)

a No 37G, Jalan 3/28, Taman Desa Baki, Taman Desa Baki, 68000 Kuala Lumpur, Federal Territory of Kuala Lumpur.
tel 603 6136 0840 fax 7216
email admin@shr.com

MECHANICAL AND ELECTRICAL ENGINEER

Integrity Engineering Sdn. Bhd. (No. Syarikat: 12335-P)

a Unit 1-3-1, Ara 3, Wisma Prima Perintis, Jalan Setiawangsa 11, Taman Setiawangsa, 54200 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur.
tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR

Perunding RPM Sdn. Bhd. (No. Syarikat: 12335-P)

a Jalan Pekaka 8/4, Kota Damansara, 47810 Petaling Jaya, Selangor.
tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com

PROJECT TITLE

CADANGAN PEMBANGUNAN SATU PERPUSTAKAAN 4 TINGKAT YANG MENGANDUNGI:

1. 1 TINGKAT KAWASAN MUZIK CAFE DAN RESTORAN DI TINGKAT 1.
2. 2 TINGKAT TEMPAT MEMBACA DI TINGKAT 2 HINGGA TINGKAT 3.
3. 1 TINGKAT RUANG SERBAGUNA DI TINGKAT 4.

DI ATAS LOT NO. 5-7, JALAN HAJI SALEH, OFF JALAN SENTUL, MUKIM BATU KUALA LUMPUR.

CLIENT

MS CHERYL

NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA, SELANGOR DARUL EHSAN, MALAYSIA.
tel 603 5625 5000 fax 603 5625 5001

DRAWING TITLE:

PELAN ARAS BAWAH TANAH

DRAWING NO. :

2016/ARC3524/BT2/P1/3B

DRAWN BY :
HOOI WEI XING

CHECKED BY:
LING SIANG ZU


SKALA :
100

TARIKH :
10-10-2016

SHEET NO. :

3B

13



JADUAL PENGIRAAN PENGUDARAAN DAN PENCAHAYAAN						
SPACE	AREA IN SQ.M.	NATURAL VENTILATION (10%)			NATURAL LIGHTING (10%)	
		REQUIRED	PROVIDED	REMARKS	REQUIRED	PROVIDED
GROUND FLOOR						
SECURITY CONTROL ROOM	21.07	2.11	0.95	MECHANICAL VENTILATION	2.11	0.95
MANAGEMENT OFFICE	23.08	2.31	0.95	MECHANICAL VENTILATION	2.31	0.95
COFFEE BAR	51.62	5.16	13.23		5.16	13.23
LOBBY	94.32	9.43	18.55		9.43	18.55
PUBLIC READING AREA	64.60	6.46	18.55		6.46	18.55
COMPUTER	25.00	2.50	5.25		2.50	5.25
TOILET (M)	16.88	1.69	9.65		1.69	9.65
TOILET (F)	16.88	1.69	9.65		1.69	9.65
OKU TOILET	5.30	0.53	1.05		0.53	1.05
STAIRCASE 1	16.87	1.69	-	MECHANICAL VENTILATION	1.69	-
STAIRCASE 2	12.82	1.28	6.84		1.28	6.84
STAIRCASE 3	12.82	1.28	6.84		1.28	6.84

FINISHES SCHEDULE		WALL FINISH CODE	CEILING FINISH CODE
		FLOOR FINISH CODE	SKIRTING FINISH CODE
		UTILIZATION	CEILING HEIGHT
		SPECIES AREA DESIGN	TYPE
SYMBOL	CEILING SPECIFICATION		
PP	PLASTERED AND PAINTED		
AP	ACOUSTIC PANEL		
UF	UNFINISHED		
TP	TIMBER PANEL		
SYMBOL	WALL SPECIFICATION		
PP	PLASTERED AND PAINTED		
CT	CERAMIC TILE		
UF	UNFINISHED		
SYMBOL	FLOOR SPECIFICATION		
PP	PLASTERED AND PAINTED		
CT	CERAMIC TILE		
CR	CEMENT RENDER		
CA	CARPET		
TP	TIMBER PANEL		
EA	EARTH		
SYMBOL	SKIRTING SPECIFICATION		
CT	CERAMIC TILE		
VENTILATION SCHEDULE			
NV	NATURAL VENTILATION		
MV	MECHANICAL VENTILATION		
AC	AIR CONDITIONED		

DOORS SCHEDULE	
SYMBOL	DOOR TYPE
(D1)	50mm WIDTH WOODEN DOOR FRAME AND PLYWOOD. FLUSH DOOR TO MANUF. DETAILS.
(D2)	50 x 150mm WIDTH ALUMIN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMIN. DOOR HINGES TO MANUF. DETAIL.
(D3)	50 x 150mm WIDTH ALUMIN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMIN. DOOR HINGES TO MANUF. DETAIL.
(D4)	38mm WIDTH WOODEN DOOR FRAME AND PLYWOOD. FLUSH DOOR WITH 150MM HIGH HEELSTONE TO MANUF. DETAIL.
(D5)	50 x 150mm WIDTH ALUMINUM PIVOT DOOR FRAME, FLUSH GLASS DOOR TO MANUFACTURER'S DETAILS.
(SD1)	NATURAL ANODIZED ALUMIN. DOOR SHOP FRONT C/W MOTORIZED 12MM THK CLEAR TEMPERED GLASS DOUBLE SLIDING DOOR TO MANUF. DETAIL.
(SD2)	FRAMELESS 12MM THK FROSTED TEMPERED GLASS SLIDING DOOR PANEL TO MANUF. DETAIL.
(SD3)	WOODEN SLIDING DOOR WITH PROTECTION PLATE TO MANUF. DETAIL.
(FD1)	50 x 150mm WIDTH GALVANIZED METAL DOOR FRAME, 2 HOURS FIRE RATED TIMBER FLUSH DOOR LEAVES WITH EMERGENCY PUSHBAR AND SELF CLOSER DEVICE TO MANUF. DETAIL.

WINDOW SCHEDULE	
SYMBOL	WINDOW TYPE
(WF1)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(WF2)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(WF3)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(WF4)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(WF5)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(WF6)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(WF7)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(WF8)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(WF9)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(WF10)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(WF11)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(WF12)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(WF13)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(WF14)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(WF15)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.

All designs are the sole property of WFFT Sdn. Bhd. and cannot be used without their permission.
All prints and their copyright are the property of WFFT Sdn. Bhd. and shall be returned at the completion of the work.
All dimension are in METRIC and shall be checked on site before commencing any work. Any discrepancies must be reported immediately to the Architect before proceeding.

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

☐ SCHEMATIC DESIGN ☐ TENDER DRAWING

☐ DESIGN DEVELOPMENT ☐ CONSTRUCTION DRAWING

ARCHITECT :
SUBMITTING ARCHITECT
Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Keilid Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.

A/Lai Sze Chun
B. App. Sc. (Arch), B. (Arch)
APAM M 1984, LAM AL 304

WFFT Sdn. Bhd. (No. Syarikat: 5202387A)
a NO.1, TINGKAT 16, JALAN TAYLORS,
47500 SUBANG JAYA, SELANGOR
DARUL EHSAN, MALAYSIA.
tel 603 9523 1100 fax 603 2335 5222
email info@wfft.com

CIVIL AND STRUCTURE ENGINEER
SHR Sdn. Bhd. (No. Syarikat: 12354P)
a NO.375, Jalan 3/2B, Taman Desa Bakti, Taman Desa Bakti,
68100 Kuala Lumpur, Federal Territory of Kuala Lumpur
tel 603 6136 0840 fax 603 5564 7216
email admin@shsr.com

MECHANICAL AND ELECTRICAL ENGINEER
Integrity Engineering Sdn. Bhd. (No. Syarikat: 23784H)
a Unit 1-3-1, Aras 3, Wisma Prima Peninsula, Jalan Selawangs 11, Taman
Selawangs, 54200 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur
tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR
Perunding RPM Sdn. Bhd. (No. Syarikat: 159102192)
a Jalan Pekaka 8/4, Kota Damansara,
47810 Petaling Jaya, Selangor
tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com


PROJECT TITLE
CADANGAN PEMBANGUNAN SATU
PERPUSTAKAAN 4 TINGKAT YANG
MENGANDUNGI :
1. 1 TINGKAT KAWASAN MUZIK
CAFE DAN RESTORAN DI
TINGKAT 1.
2. 2 TINGKAT TEMPAT MEMBACA DI
TINGKAT 2 HINGGA TINGKAT 3.
3. 1 TINGKAT RUANG SERBAGUNA DI
TINGKAT 4.
DI ATAS LOT NO. 5-7, JALAN HAJI
SALEH, OFF JALAN SENTUL, MUKIM BATU
KUALA LUMPUR.

CLIENT
MS CHERYL
a NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA,
SELANGOR DARUL EHSAN, MALAYSIA.
tel 603 9525 5000 fax 603 9525 5001

DRAWING TITLE:
PELAN ARAS TANAH

DRAWING NO. :
2016/ARC3524/BT2/P1/4A
DRAWN BY :
LAI SZE CHUN
CHECKED BY :
LAI SZE CHUN
SKALA :
100
TARIKH :
10-10-2016

SHEET NO. :
4A
13



JADUAL PENGIRAAN PENGUDARAAN DAN PENCAHAYAAN						
SPACE	AREA IN SQ.M.	NATURAL VENTILATION (10%)			NATURAL LIGHTING (10%)	
		REQUIRED	PROVIDED	REMARKS	REQUIRED	PROVIDED
GROUND FLOOR						
SECURITY CONTROL ROOM	21.07	2.11	0.95	MECHANICAL VENTILATION	2.11	0.95
MANAGEMENT OFFICE	23.08	2.31	0.95	MECHANICAL VENTILATION	2.31	0.95
COFFEE BAR	51.62	5.16	13.23		5.16	13.23
LOBBY	94.32	9.43	18.55		9.43	18.55
PUBLIC READING AREA	64.60	6.46	18.55		6.46	18.55
COMPUTER	25.00	2.50	5.25		2.50	5.25
TOILET (M)	16.88	1.69	9.65		1.69	9.65
TOILET (F)	16.88	1.69	9.65		1.69	9.65
OKU TOILET	5.30	0.53	1.05		0.53	1.05
STAIRCASE 1	16.87	1.69	-	MECHANICAL VENTILATION	1.69	-
STAIRCASE 2	12.82	1.28	6.84		1.28	6.84
STAIRCASE 3	12.82	1.28	6.84		1.28	6.84

FINISHES SCHEDULE		WALL FIN.CODE	CEILING FIN.CODE
CEILING		FLOOR FIN.CODE	SKIRTING FIN.CODE
SYMBOL	SPECIFICATION	VENTILATION	CEILING HT. (M)
FLOOR SPECIFICATION		SPACE AREA (SQM)	
PP	PLASTERED AND PAINTED		
AP	ACOUSTIC PANEL		
UF	UNFINISHED		
TP	TIMBER PANEL		
WALL SPECIFICATION			
PP	PLASTERED AND PAINTED		
CT	CERAMIC TILE		
UF	UNFINISHED		
FLOOR SPECIFICATION			
PP	PLASTERED AND PAINTED		
CT	CERAMIC TILE		
CR	CEMENT RENDER		
CA	CARPET		
TP	TIMBER PANEL		
EA	SKIRTING		
SPECIFICATION			
CT	CERAMIC TILE		
VENTILATION SCHEDULE			
NV	NATURAL VENTILATION		
MV	MECHANICAL VENTILATION		
AC	AIR CONDITIONED		
DOORS SCHEDULE			
SYMBOL	DOOR TYPE		
(D1)	50mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR TO MANUF. DETAILS.		
(D2)	50 x 150mm WIDTH ALUMN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMN. DOOR HINGES TO MANUF. DETAIL.		
(D3)	50 x 150mm WIDTH ALUMN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMN. DOOR HINGES TO MANUF. DETAIL.		
(D4)	50 x 150mm WIDTH ALUMINUM PIVOT DOOR FRAME, FLUSH GLASS DOOR TO MANUFACTURER'S DETAILS.		
(D5)	38mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR WITH 150MM HIGH HEELSTONE TO MANUF. DETAIL.		
(SD1)	NATURAL ANODIZED ALUMN. DOOR SHOP FRONT CW MOTORIZED 12MM THK CLEAR TEMPERED GLASS DOUBLE SLIDING DOOR TO MANUF. DETAIL.		
(SD2)	FRAMELESS 12MM THK FROSTED TEMPERED GLASS SLIDING DOOR PANEL TO MANUF. DETAIL.		
(SD3)	WOODEN FLUSH SLIDING DOOR WITH PROTECTION PLATE TO MANUF. DETAIL.		
(FD1)	50 x 150mm WIDTH GALVANIZED METAL DOOR FRAME, 2 HOURS FIRE RATED TIMBER FLUSH DOOR LEAVES WITH EMERGENCY PUSHBAR AND SELF CLOSER DEVICE TO MANUF. DETAIL.		
WINDOW SCHEDULE			
SYMBOL	WINDOW TYPE		
(W1)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
(W2)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
(W3)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
(W4)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
(W5)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
(W6)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
(W7)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
(W8)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
(W9)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
(W10)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
(W11)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
(W12)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
(W13)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
(W14)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
(W15)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		

FIRE FIGHTING SCHEDULE	
FIRE FIGHTING LEGEND	
(SD)	SMOKE DETECTOR
(GD)	FIRE ALARM AND BREAK GLASS
(DP)	DRY POWDER
(FD)	1 HOUR FIRE RATED DOOR
(HR)	HOSE REEL
(FH)	FIRE HYDRANT
(EL)	EMERGENCY LIGHT
(KS)	KELUAR SIGN

All designs are the sole property of WFFT Sdn. Bhd. and cannot be used without their permission.
All prints and their copyright are the property of WFFT Sdn. Bhd. and shall be returned at the completion of the work.
All dimension are in METRIC and shall be checked on site before commencing any work. Any discrepancies must be reported immediately to the Architect before proceeding.

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

☐ SCHEMATIC DESIGN

☐ TENDER DRAWING

☐ DESIGN DEVELOPMENT

☐ CONSTRUCTION DRAWING

ARCHITECT :

SUBMITTING ARCHITECT

Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Kecil Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.

Ar. Lai Sze Chun
B. App. Sc (Arch),
B. (Arch)
APAM M 1554,
LAM AIL 324

WFFT Sdn. Bhd. (No. Syarikat: 5262367A)

a

NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA, SELANGOR DARUL EHSAN, MALAYSIA.

tel 603 5623 1100 fax 603 2335 5222
email info@wfft.com

CIVIL AND STRUCTURE ENGINEER

SHR Sdn. Bhd. (No. Syarikat: 12335-P)

a

No 37G, Jalan 3/28, Taman Desa Baki, Taman Desa Baki, 68000 Kuala Lumpur, Federal Territory of Kuala Lumpur

tel 603 6136 0840 fax 7216
email admin@shr.com

MECHANICAL AND ELECTRICAL ENGINEER

Integrity Engineering Sdn. Bhd. (No. Syarikat: 12335-P)

a

Unit 1-3-1, Ara 3, Wisma Prima Perintis, Jalan Setiawangsa 11, Taman Setiawangsa, 54200 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur

tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR

Perunding RPM Sdn. Bhd. (No. Syarikat: 12335-P)

a

Jalan Pekaka 8/4, Kota Damansara, 47810 Petaling Jaya, Selangor

tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com

PROJECT TITLE

CADANGAN PEMBANGUNAN SATU PERPUSTAKAAN 4 TINGKAT YANG MENGANDUNGI:

1.

1 TINGKAT KAWASAN MUZIK CAFE DAN RESTORAN DI TINGKAT 1.

2.

2 TINGKAT TEMPAT MEMBACA DI TINGKAT 2 HINGGA TINGKAT 3.

3.

1 TINGKAT RUANG SERBAGUNA DI TINGKAT 4.

DI ATAS LOT NO. 5-7, JALAN HAJI SALEH, OFF JALAN SENTUL, MUKIM BATU KUALA LUMPUR.

CLIENT

MS CHERYL

a

NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA, SELANGOR DARUL EHSAN, MALAYSIA.

tel 603 5625 5000 fax 603 5625 5001

DRAWING TITLE:

PELAN ARAS TANAH

DRAWING NO. :

2016/ARC3524/BT2/P1/4B

DRAWN BY :

HOOI WEI XING

CHECKED BY :

LING SIOW ZU

SKALA :

100


TARIKH :

10-10-2016

SHEET NO. :

4B

13



FINISHES SCHEDULE

SYMBOL	CEILING SPECIFICATION
PP	PLASTERED AND PAINTED
AP	ACOUSTIC PANEL
UF	UNFINISHED
TP	TIMBER PANEL
SYMBOL	WALL SPECIFICATION
PP	PLASTERED AND PAINTED
CT	CERAMIC TILE
UF	UNFINISHED
SYMBOL	FLOOR SPECIFICATION
PP	PLASTERED AND PAINTED
CT	CERAMIC TILE
CR	CEMENT RENDER
CA	CARPET
TP	TIMBER PANEL
EA	EARTH
SYMBOL	SKIRTING SPECIFICATION
CT	CERAMIC TILE
NV	NATURAL VENTILATION
MV	MECHANICAL VENTILATION
AC	AIR CONDITIONED

DOORS SCHEDULE

SYMBOL	DOOR TYPE
D1	50mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR TO MANUF. DETAILS.
D2	50 x 150mm WIDTH ALUMN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMN. DOOR HINGES TO MANUF. DETAIL.
D3	50 x 150mm WIDTH ALUMN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMN. DOOR HINGES TO MANUF. DETAIL.
D4	38mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR WITH 150MM HIGH HEELSTONE TO MANUF. DETAIL.
D5	50 x 150mm WIDTH ALUMINUM PIVOT DOOR FRAME, FLUSH GLASS DOOR TO MANUFACTURER'S DETAILS.
SD1	NATURAL ANODIZED ALUMN. DOOR SHOP FRONT C/W MOTORIZED 12MM THK CLEAR TEMPERED GLASS DOUBLE SLIDING DOOR TO MANUF. DETAIL.
SD2	FRAMELESS 12MM THK FROSTED TEMPERED GLASS SLIDING DOOR PANEL TO MANUF. DETAIL.
SD3	WOODEN FLUSH SLIDING DOOR WITH PROTECTION PLATE TO MANUF. DETAIL.
ED1	50 x 150mm WIDTH GALVANIZED METAL DOOR FRAME, 2 HOURS FIRE RATED TIMBER FLUSH DOOR LEAVES WITH EMERGENCY PUSHBAR AND SELF CLOSER DEVICE TO MANUF. DETAIL.

WINDOW SCHEDULE

SYMBOL	WINDOW TYPE
W1	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W2	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W3	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W4	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME..
W5	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME..
W6	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME..
W7	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME..
W8	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W9	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W10	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W11	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W12	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W13	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W14	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.

JADUAL PENGIRAAN PENGUDARAAN DAN PENCAHAYAAN						
SPACE	AREA IN SQ.M.	NATURAL VENTILATION (10%)			NATURAL LIGHTING (10%)	
		REQUIRED	PROVIDED	REMARKS	REQUIRED	PROVIDED
FIRST FLOOR						
INFORMAL READING	34.65	3.47	25.21		3.47	25.21
MEETING ROOM 1	15.44	1.54	1.05	MECHANICAL VENTILATION	1.54	1.05
MEETING ROOM 2	19.94	1.99	1.05	MECHANICAL VENTILATION	1.99	1.05
MEETING ROOM 3	19.78	1.98	1.05	MECHANICAL VENTILATION	1.98	1.05
MEETING ROOM 4	29.74	2.97	1.05	MECHANICAL VENTILATION	2.97	1.05
LIBRARY A	129.18	12.92	25.37		12.92	25.37
LIBRARY B	108.10	10.81	25.37		10.81	25.37
TOILET (M)	16.88	1.69	9.65		1.69	9.65
TOILET (F)	16.88	1.69	9.65		1.69	9.65
OKU TOILET	5.30	0.53	1.05		0.53	1.05
STAIRCASE 1	16.87	1.69	-	MECHANICAL VENTILATION	1.69	-
STAIRCASE 2	12.82	1.28	6.84		1.28	6.84
STAIRCASE 3	12.82	1.28	6.84		1.28	6.84

All designs are the sole property of WFFT Sdn. Bhd. and cannot be used without their permission.
All prints and their copyright are the property of WFFT Sdn. Bhd. and shall be returned at the completion of the work.
All dimension are in METRIC and shall be checked on site before commencing any work. Any discrepancies must be reported immediately to the Architect before proceeding.

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

☐ SCHEMATIC DESIGN ☐ TENDER DRAWING
☐ DESIGN DEVELOPMENT ☐ CONSTRUCTION DRAWING

ARCHITECT :

SUBMITTING ARCHITECT

Saya memaparkan bahawa perincian-perincian dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Ketiua Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.



A. Lai Sze Chuan
B. Aze. S. (Arch. B.Sc. (Hons))
APAM M 1964, LAMAL 324

WFFT Sdn. Bhd.

(No. Syarikat: 52823674)

a NO.1, TINGKAT 16, JALAN TAYLORS,
47500 SUBANG JAYA, SELANGOR
DARUL EHSAN, MALAYSIA.
tel 603 5623 1100 fax 603 2335 5222
email info@wfft.com

CIVIL AND STRUCTURE ENGINEER

SHR Sdn. Bhd.

(No. Syarikat: 222849)

a No 37G, Jalan 3/2B, Taman Desa Bakti, Taman Desa Bakti,
68100 Kuala Lumpur, Federal Territory of Kuala Lumpur
tel 603 6136 0840 fax 603 5564 7216
email admin@shr.com

MECHANICAL AND ELECTRICAL ENGINEER

Integrity Engineering Sdn. Bhd.

(No. Syarikat: 2277844)

a Unit 1-3-1, Aras 3, Wisma Prima Peninsula, Jalan Selawangsa 11, Taman
Selawangsa, 54200 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur
tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR

Perunding RPM Sdn. Bhd.

(No. Syarikat: 229522102)

a Jalan Pekaka 8/4, Kota Damansara,
47810 Petaling Jaya, Selangor
tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com

PROJECT TITLE

CADANGAN PEMBANGUNAN SATU

PERPUSTAKAAN 4 TINGKAT YANG

MERANGKUPINGI :

1. 1 TINGKAT KAWASAN MUZIK

CAFE DAN RESTORAN DI

TINGKAT 1.

2. 2 TINGKAT TEMPAT MEMBACA DI

TINGKAT 2 HINGGA TINGKAT 3.

3. 1 TINGKAT RUANG SERBAGUNA DI

TINGKAT 4.

DI ATAS LOT NO. 5-7, JALAN HAJI

SALEH, OFF JALAN SENTUL, MUKIM BATU

KUALA LUMPUR.

CLIENT

MS CHERYL

a NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA,

SELANGOR DARUL EHSAN, MALAYSIA.

tel 603 5625 5000 fax 603 5625 5001

DRAWING TITLE:

PELAN ARAS SATU

DRAWING NO. :

2016/ARC3524/BT2/P1/5A

DRAWN BY :

CHECKED BY :

SKALA :

LAI SZE CHUN

LAI SZE CHUN

100


TARIKH :

10-10-2016

SHEET NO. :

5A

13



JADUAL PENGIRAAN PENGUDARAAN DAN PENCAHAYAAN							
SPACE		AREA IN SQ.M.	NATURAL VENTILATION (10%)			NATURAL LIGHTING (10%)	
			REQUIRED	PROVIDED	REMARKS	REQUIRED	PROVIDED
FIRST FLOOR							
INFORMAL READING		34.65	3.47	25.21		3.47	25.21
MEETING ROOM 1		15.44	1.54	1.05	MECHANICAL VENTILATION	1.54	1.05
MEETING ROOM 2		19.94	1.99	1.05	MECHANICAL VENTILATION	1.99	1.05
MEETING ROOM 3		19.78	1.98	1.05	MECHANICAL VENTILATION	1.98	1.05
MEETING ROOM 4		29.74	2.97	1.05	MECHANICAL VENTILATION	2.97	1.05
LIBRARY A		129.18	12.92	25.37		12.92	25.37
LIBRARY B		108.10	10.81	25.37		10.81	25.37
TOILET (M)		16.88	1.69	9.65		1.69	9.65
TOILET (F)		16.88	1.69	9.65		1.69	9.65
OKU TOILET		5.30	0.53	1.05		0.53	1.05
STAIRCASE 1		16.87	1.69	-	MECHANICAL VENTILATION	1.69	-
STAIRCASE 2		12.82	1.28	6.84		1.28	6.84
STAIRCASE 3		12.82	1.28	6.84		1.28	6.84

FINISHES SCHEDULE

SYMBOL	SPECIFICATION
PP	PLASTERED AND PAINTED
AP	ACOUSTIC PANEL
UF	UNFINISHED
TP	TIMBER PANEL
SYMBOL	WALL SPECIFICATION
PP	PLASTERED AND PAINTED
CT	CERAMIC TILE
UF	UNFINISHED
SYMBOL	FLOOR SPECIFICATION
PP	PLASTERED AND PAINTED
CT	CERAMIC TILE
CR	CEMENT RENDER
CA	CARPET
TP	TIMBER PANEL
EA	SKIRTING
SYMBOL	SPECIFICATION
CT	CERAMIC TILE
VENTILATION SCHEDULE	
NV	NATURAL VENTILATION
MV	MECHANICAL VENTILATION
AC	AIR CONDITIONED

DOORS SCHEDULE

SYMBOL	DOOR TYPE
(D1)	50mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR TO MANUF. DETAILS.
(D2)	50 x 150mm WIDTH ALUMN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMN. DOOR HINGES TO MANUF. DETAIL.
(D3)	50 x 150mm WIDTH ALUMN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMN. DOOR HINGES TO MANUF. DETAIL.
(D4)	38mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR WITH 150MM HIGH HEELSTONE TO MANUF. DETAIL.
(D5)	50 x 150mm WIDTH ALUMINUM PIVOT DOOR FRAME, FLUSH GLASS DOOR TO MANUFACTURER'S DETAILS.
(SD1)	NATURAL ANODIZED ALUMN. DOOR SHOP FRONT C/W MOTORIZED 12MM THK CLEAR TEMPERED GLASS DOUBLE SLIDING DOOR TO MANUF. DETAIL.
(SD2)	FRAMELESS 12MM THK FROSTED TEMPERED GLASS SLIDING DOOR PANEL TO MANUF. DETAIL.
(SD3)	WOODEN FLUSH SLIDING DOOR WITH PROTECTION PLATE TO MANUF. DETAIL.
(FD1)	50 x 150mm WIDTH GALVANIZED METAL DOOR FRAME, 2 HOURS FIRE RATED TIMBER FLUSH DOOR LEAVES WITH EMERGENCY PUSHBAR AND SELF CLOSER DEVICE TO MANUF. DETAIL.

WINDOW SCHEDULE

SYMBOL	WINDOW TYPE
(W1)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W2)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W3)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W4)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W5)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W6)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W7)	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W8)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W9)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W10)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W11)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W12)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W13)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
(W14)	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.

FIRE FIGHTING SCHEDULE

FIRE FIGHTING LEGEND	
(SD)	SMOKE DETECTOR
(BA)	FIRE ALARM AND BREAK GLASS
(DP)	DRY POWDER
(RD)	1 HOUR FIRE RATED DOOR
(HR)	HOSE REEL
(FD)	FIRE HYDRANT
(EL)	EMERGENCY LIGHT
(KS)	KELUAR SIGN

All designs are the sole property of WFFT Sdn. Bhd. and cannot be used without their permission.
All prints and their copyright are the property of WFFT Sdn. Bhd. and shall be returned at the completion of the work.
All dimension are in METRIC and shall be checked on site before commencing any work. Any discrepancies must be reported immediately to the Architect before proceeding.

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

- ☐ SCHEMATIC DESIGN ☐ TENDER DRAWING
☐ DESIGN DEVELOPMENT ☐ CONSTRUCTION DRAWING

ARCHITECT :

SUBMITTING ARCHITECT

Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Kecil Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.



Ar. Lai Sze Chun
B. App. Sc (Arch),
B. (Arch)
APAM M 1564,
LAM AIL 324

WFFT Sdn. Bhd. (No. Syarikat: 5262367A)

NO.1, TINGKAT 16, JALAN
TAYLORS, 47500 SUBANG
JAYA, SELANGOR DARUL
EHSAN, MALAYSIA
tel 603 5623 1100 fax 603 2335 5222
emailto@wfft.com

CIVIL AND STRUCTURE ENGINEER

SHR Sdn. Bhd. (No. Syarikat: 12335-P)

No 37G, Jalan 3/28, Taman Desa Baki, Taman Desa
Baki, 68020 Kuala Lumpur, Federal Territory of Kuala
Lumpur
tel 603 6136 0840 fax 7216
emailadmin@shr.com

MECHANICAL AND ELECTRICAL ENGINEER

Integrity Engineering Sdn. Bhd. (No. Syarikat: 12335-P)

Unit 1-3-1, Ara 3, Wisma Prima Perintis, Jalan Setiawangsa 11,
Taman Setiawangsa, 54200 Kuala Lumpur, Wilayah Persekutuan
Kuala Lumpur
tel 603 4142 1479 fax 603 1538 2258
emailadmin@integritye.com

QUANTITY SURVEYOR

Perunding RPM Sdn. Bhd. (No. Syarikat: 12335-P)

Jalan Pekaka 8/4, Kota
Damansara, 47810 Petaling
Jaya, Selangor
tel 603 6148 1120 fax 603 6148 1120
emailpmconsultant@gmail.com

PROJECT TITLE

CADANGAN PEMBANGUNAN SATU
PERPUSTAKAAN 4 TINGKAT YANG
MENGANDUNGI:

1. 1 TINGKAT KAWASAN MUZIK
CAFE DAN RESTORAN DI
TINGKAT 1.
 2. 2 TINGKAT TEMPAT MEMBACA DI
TINGKAT 2 HINGGA TINGKAT 3.
 3. 1 TINGKAT RUANG SERBAGUNA DI
TINGKAT 4.
- DI ATAS LOT NO. 5-7, JALAN HAJI
SALEH, OFF JALAN SENTUL, MUKIM BATU
KUALA LUMPUR.

CLIENT

MS CHERYL

NO.1, TINGKAT 16, JALAN TAYLORS,
47500 SUBANG JAYA, SELANGOR
DARUL EHSAN, MALAYSIA .
tel 603 5625 5000 fax 603 5625 5001

DRAWING TITLE:

PELAN ARAS SATU

DRAWING NO. :

2016/ARC3524/BT2/P1/5B

DRAWN BY :

HOOI WEI XING

CHECKED BY:

LING SIAU ZU

SKALA :

100


TARIKH :

10-10-2016

SHEET NO. :

5B

13



JADUAL PENGIRAAN PENGUDARAAN DAN PENCAHAYAAN						
SPACE	AREA IN SQ.M.	NATURAL VENTILATION (10%)			NATURAL LIGHTING (10%)	
		REQUIRED	PROVIDED	REMARKS	REQUIRED	PROVIDED
SECOND FLOOR FLOOR						
NEWSPAPER ARCHIVE	120.90	12.09	1.05	MECHANICAL VENTILATION	12.09	1.05
SKYLOUNGE	49.40	4.94	1.05	MECHANICAL VENTILATION	4.94	1.05
RECORDING STUDIO	21.11	2.11	-	MECHANICAL VENTILATION	2.11	-
INFORMAL READING 2	34.65	3.47	25.21		3.47	25.21
MUSIC COLLECTION	70.57	7.06	-	MECHANICAL VENTILATION	7.06	-
CHILDREN ZONE	58.20	5.82	30.99		5.82	30.99
TOILET (M)	16.88	1.69	9.65		1.69	9.65
TOILET (F)	16.88	1.69	9.65		1.69	9.65
OKU TOILET	5.30	0.53	1.05		0.53	1.05
STAIRCASE 1	16.87	1.69	-	MECHANICAL VENTILATION	1.69	-
STAIRCASE 2	12.82	1.28	6.84		1.28	6.84
STAIRCASE 3	12.82	1.28	6.84		1.28	6.84

FINISHES SCHEDULE

SYMBOL	CEILING SPECIFICATION
PP	PLASTERED AND PAINTED
AP	ACOUSTIC PANEL
UF	UNFINISHED
TP	TIMBER PANEL
SYMBOL	WALL SPECIFICATION
PP	PLASTERED AND PAINTED
CT	CERAMIC TILE
UF	UNFINISHED
SYMBOL	FLOOR SPECIFICATION
PP	PLASTERED AND PAINTED
CT	CERAMIC TILE
CR	CEMENT RENDER
CA	CARPET
TP	TIMBER PANEL
EA	EARTH
SYMBOL	SKIRTING SPECIFICATION
CT	CERAMIC TILE
VENTILATION SCHEDULE	
NV	NATURAL VENTILATION
MV	MECHANICAL VENTILATION
AC	AIR CONDITIONED

DOORS SCHEDULE

SYMBOL	DOOR TYPE
D1	50mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR TO MANUF. DETAILS.
D2	50 x 150mm WIDTH ALUMIN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMIN. DOOR HINGES TO MANUF. DETAIL.
D3	50 x 150mm WIDTH ALUMIN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMIN. DOOR HINGES TO MANUF. DETAIL.
D4	38mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR WITH 150MM HIGH HEELSTONE TO MANUF. DETAIL.
D5	50 x 150mm WIDTH ALUMINUM PIVOT DOOR FRAME, FLUSH GLASS DOOR TO MANUFACTURER'S DETAILS.
S01	NATURAL ANODIZED ALUMIN. DOOR SHOP FRONT OW MOTORIZED 12MM THK CLEAR TEMPERED GLASS DOUBLE SLIDING DOOR TO MANUF. DETAIL.
S02	FRAMELESS 12MM THK FROSTED TEMPERED GLASS SLIDING DOOR PANEL TO MANUF. DETAIL.
S03	WOODEN FLUSH SLIDING DOOR WITH PROTECTION PLATE TO MANUF. DETAIL.
D01	50 x 150mm WIDTH GALVANIZED METAL DOOR FRAME, 2 HOURS FIRE RATED TIMBER FLUSH DOOR LEAVES WITH EMERGENCY PUSHBAR AND SELF CLOSER DEVICE TO MANUF. DETAIL..

WINDOW SCHEDULE

SYMBOL	WINDOW TYPE
W1	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W2	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W3	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W4	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME..
W5	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME..
W6	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME..
W7	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W8	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W9	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W10	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W11	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W12	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W13	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W14	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.

All designs are the sole property of WFFT Sdn. Bhd. and cannot be used without their permission.
All prints and their copyright are the property of WFFT Sdn. Bhd. and shall be returned at the completion of the work.
All dimension are in METRIC and shall be checked on site before commencing any work. Any discrepancies must be reported immediately to the Architect before proceeding.

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

- ☐ SCHEMATIC DESIGN
- ☐ TENDER DRAWING
- ☐ DESIGN DEVELOPMENT
- ☐ CONSTRUCTION DRAWING

ARCHITECT :

SUBMITTING ARCHITECT

Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Keilid Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.



Az. Lai Sze Chun
B. App. Sc. (Arch), B. (Arch)
APAM M 1984, LAM AL 324

WFFT Sdn. Bhd. (No. Syarikat: 5202367A)
a NO.1, TINGKAT 16, JALAN TAYLORS,
47500 SUBANG JAYA, SELANGOR
DARUL EHSAN, MALAYSIA.
tel 603 9523 1100 fax 603 2335 5222
email info@wft.com

CIVIL AND STRUCTURE ENGINEER

SHR Sdn. Bhd. (No. Syarikat: 12354P)

a NO 37G, Jalan 3/2B, Taman Desa Bakti, Taman Desa Bakti,
68100 Kuala Lumpur, Federal Territory of Kuala Lumpur
tel 603 6136 0840 fax 603 5564 7216
email admin@shr.com

MECHANICAL AND ELECTRICAL ENGINEER

Integrity Engineering Sdn. Bhd. (No. Syarikat: 23784H)

a Unit 1-3-1, Aras 3, Wisma Prima Peninsula, Jalan Selawangsau 11, Taman
Selawangsau, 54200 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur
tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR

Perunding RPM Sdn. Bhd. (No. Syarikat: 125012102)

a Jalan Pekaka 8/4, Kota Damansara,
47810 Petaling Jaya, Selangor
tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com

PROJECT TITLE

CADANGAN PEMBANGUNAN SATU
PERPUSTAKAAN 4 TINGKAT YANG
MENGANDUNGI :

1. 1 TINGKAT KAWASAN MUZIK
CAFE DAN RESTORAN DI
TINGKAT 1.
 2. 2 TINGKAT TEMPAT MEMBACA DI
TINGKAT 2 HINGGA TINGKAT 3.
 3. 1 TINGKAT RUANG SERBAGUNA DI
TINGKAT 4.
- DI ATAS LOT NO. 5-7, JALAN HAJI
SALEH, OFF JALAN SENTUL, MUKIM BATU
KUALA LUMPUR.

CLIENT

MS CHERYL

a NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA,
SELANGOR DARUL EHSAN, MALAYSIA.
tel 603 9525 5000 fax 603 9525 5001

DRAWING TITLE:

PELAN ARAS DUA

DRAWING NO. :

2016/ARC3524/BT2/P1/6A

DRAWN BY :

LAI SZE CHUN

CHECKED BY:

LAI SZE CHUN

SKALA :

100


TARIKH :

10-10-2016

SHEET NO. :

6A

13



JADUAL PENGIRAAN PENGUDARAAN DAN PENCAHAYAAN						
SPACE	AREA IN SQ.M.	NATURAL VENTILATION (10%)			NATURAL LIGHTING (10%)	
		REQUIRED	PROVIDED	REMARKS	REQUIRED	PROVIDED
SECOND FLOOR FLOOR						
NEWSPAPER ARCHIVE	120.90	12.09	1.05	MECHANICAL VENTILATION	12.09	1.05
SKYLounge	49.40	4.94	1.05	MECHANICAL VENTILATION	4.94	1.05
RECORDING STUDIO	21.11	2.11	-	MECHANICAL VENTILATION	2.11	-
INFORMAL READING 2	34.65	3.47	25.21		3.47	25.21
MUSIC COLLECTION	70.57	7.06	-	MECHANICAL VENTILATION	7.06	-
CHILDREN ZONE	58.20	5.82	30.99		5.82	30.99
TOILET (M)	16.88	1.69	9.65		1.69	9.65
TOILET (F)	16.88	1.69	9.65		1.69	9.65
OKU TOILET	5.30	0.53	1.05		0.53	1.05
STAIRCASE 1	16.87	1.69	-	MECHANICAL VENTILATION	1.69	-
STAIRCASE 2	12.82	1.28	6.84		1.28	6.84
STAIRCASE 3	12.82	1.28	6.84		1.28	6.84

FINISHES SCHEDULE

SYMBOL	SPECIFICATION
PP	PLASTERED AND PAINTED
AP	ACOUSTIC PANEL
UF	UNFINISHED
TP	TIMBER PANEL
SYMBOL	WALL SPECIFICATION
PP	PLASTERED AND PAINTED
CT	CERAMIC TILE
UF	UNFINISHED
SYMBOL	FLOOR SPECIFICATION
PP	PLASTERED AND PAINTED
CT	CERAMIC TILE
CR	CEMENT RENDER
CA	CARPET
TP	TIMBER PANEL
EA	SKIRTING
SYMBOL	SPECIFICATION
CT	CERAMIC TILE
VENTILATION SCHEDULE	
NV	NATURAL VENTILATION
MV	MECHANICAL VENTILATION
AC	AIR CONDITIONED

DOORS SCHEDULE

SYMBOL	DOOR TYPE
D1	50mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR TO MANUF. DETAILS.
D2	50 x 150mm WIDTH ALUMN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMN. DOOR HINGES TO MANUF. DETAIL.
D3	50 x 150mm WIDTH ALUMN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMN. DOOR HINGES TO MANUF. DETAIL.
D4	38mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR WITH 150MM HIGH HEELSTONE TO MANUF. DETAIL.
D5	50 x 150mm WIDTH ALUMINUM PIVOT DOOR FRAME, FLUSH GLASS DOOR TO MANUFACTURER'S DETAILS.
SD1	NATURAL ANODIZED ALUMN. DOOR SHOP FRONT C/W MOTORIZED 12MM THK CLEAR TEMPERED GLASS DOUBLE SLIDING DOOR TO MANUF. DETAIL.
SD2	FRAMELESS 12MM THK FROSTED TEMPERED GLASS SLIDING DOOR PANEL TO MANUF. DETAIL.
SD3	WOODEN FLUSH SLIDING DOOR WITH PROTECTION PLATE TO MANUF. DETAIL.
FD1	50 x 150mm WIDTH GALVANIZED METAL DOOR FRAME, 2 HOURS FIRE RATED TIMBER FLUSH DOOR LEAVES WITH EMERGENCY PUSHBAR AND SELF CLOSER DEVICE TO MANUF. DETAIL.

WINDOW SCHEDULE

SYMBOL	WINDOW TYPE
W1	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W2	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W3	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W4	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W5	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W6	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W7	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W8	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W9	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W10	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W11	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W12	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W13	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W14	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.

FIRE FIGHTING SCHEDULE

FIRE FIGHTING LEGEND	
	SMOKE DETECTOR
	FIRE ALARM AND BREAK GLASS
	DRY POWDER
	1 HOUR FIRE RATED DOOR
	HOSE REEL
	FIRE HYDRANT
	EMERGENCY LIGHT
	KELUAR SIGN

All designs are the sole property of WFFT Sdn. Bhd. and cannot be used without their permission.
All prints and their copyright are the property of WFFT Sdn. Bhd. and shall be returned at the completion of the work.
All dimension are in METRIC and shall be checked on site before commencing any work. Any discrepancies must be reported immediately to the Architect before proceeding.

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

- ☐ SCHEMATIC DESIGN ☐ TENDER DRAWING
☐ DESIGN DEVELOPMENT ☐ CONSTRUCTION DRAWING

ARCHITECT :

SUBMITTING ARCHITECT

Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Kecil Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.



Ar. Lai Sze Chun
B. App. Sc (Arch),
B. (Arch)
APAM M 1554,
LAM AIL 324

WFFT Sdn. Bhd. (No. Syarikat: 5262367A)

NO.1, TINGKAT 16, JALAN
TAYLORS, 47500 SUBANG
JAYA, SELANGOR DARUL
EHSAN, MALAYSIA
tel 603 5623 1100 fax 603 2335 5222
email info@wfft.com

CIVIL AND STRUCTURE ENGINEER

SHR Sdn. Bhd. (No. Syarikat: 12335-P)

No 37G, Jalan 3/28, Taman Desa Baki, Taman Desa
Baki, 68000 Kuala Lumpur, Federal Territory of Kuala
Lumpur
tel 603 6136 0840 fax 7216
email admin@shr.com

MECHANICAL AND ELECTRICAL ENGINEER

Integrity Engineering Sdn. Bhd. (No. Syarikat: 12335-P)

Unit 1-3-1, Ara 3, Wisma Prima Perintis, Jalan Setiawangsa 11,
Taman Setiawangsa, 54200 Kuala Lumpur, Wilayah Persekutuan
Kuala Lumpur
tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR

Perunding RPM Sdn. Bhd. (No. Syarikat: 12335-P)

Jalan Pekaka 8/4, Kota
Damansara, 47810 Petaling
Jaya, Selangor
tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com

PROJECT TITLE

CADANGAN PEMBANGUNAN SATU
PERPUSTAKAAN 4 TINGKAT YANG
MENGANDUNGI:

1. 1 TINGKAT KAWASAN MUZIK
CAFE DAN RESTORAN DI
TINGKAT 1.
 2. 2 TINGKAT TEMPAT MEMBACA DI
TINGKAT 2 HINGGA TINGKAT 3.
 3. 1 TINGKAT RUANG SERBAGUNA DI
TINGKAT 4.
- DI ATAS LOT NO. 5-7, JALAN HAJI
SALEH, OFF JALAN SENTUL, MUKIM BATU
KUALA LUMPUR.

CLIENT

MS CHERYL

NO.1, TINGKAT 16, JALAN TAYLORS,
47500 SUBANG JAYA, SELANGOR
DARUL EHSAN, MALAYSIA
tel 603 5625 5000 fax 603 5625 5001

DRAWING TITLE:

PELAN ARAS DUA

DRAWING NO. :

2016/ARC3524/BT2/P1/6B

DRAWN BY :

HOOI WEI XING

CHECKED BY:

LING SIOW ZU

SKALA :

100





TARIKH :

10-10-2016

SHEET NO. :

6B

13



FINISHES SCHEDULE		WALL FIN CODE	CEILING FIN CODE
		FLOOR FIN CODE	SKIRTING FIN CODE
		VENTILATION	CEILING HT (M)
		SPACE AREA (SQM)	
SYMBOL	CEILING SPECIFICATION		
PP	PLASTERED AND PAINTED		
AP	ACOUSTIC PANEL		
UF	UNFINISHED		
TP	TIMBER PANEL		
SYMBOL	WALL SPECIFICATION		
PP	PLASTERED AND PAINTED		
CT	CERAMIC TILE		
UF	UNFINISHED		
SYMBOL	FLOOR SPECIFICATION		
PP	PLASTERED AND PAINTED		
CT	CERAMIC TILE		
CR	CEMENT RENDER		
CA	CARPET		
TP	TIMBER PANEL		
EA	EARTH		
SYMBOL	SKIRTING SPECIFICATION		
CT	CERAMIC TILE		
	VENTILATION SCHEDULE		
NV	NATURAL VENTILATION		
MV	MECHANICAL VENTILATION		
AC	AIR CONDITIONED		

DOORS SCHEDULE	
SYMBOL	DOOR TYPE
D1	50mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR TO MANUF. DETAILS.
D2	50 x 150mm WIDTH ALUMN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMN. DOOR HINGES TO MANUF. DETAIL.
D3	50 x 150mm WIDTH ALUMN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMN. DOOR HINGES TO MANUF. DETAIL.
D4	38mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR WITH 150MM HIGH HEELSTONE TO MANUF. DETAIL.
D5	50 x 150mm WIDTH ALUMINUM PIVOT DOOR FRAME, FLUSH GLASS DOOR TO MANUFACTURER'S DETAILS.
SD1	NATURAL ANODIZED ALUMN. DOOR SHOP FRONT C/W MOTORIZED 12MM THK CLEAR TEMPERED GLASS DOUBLE SLIDING DOOR TO MANUF. DETAIL.
SD2	FRAMELESS 12MM THK FROSTED TEMPERED GLASS SLIDING DOOR PANEL TO MANUF. DETAIL.
SD3	WOODEN FLUSH SLIDING DOOR WITH PROTECTION PLATE TO MANUF. DETAIL.
FD1	50 x 150mm WIDTH GALVANIZED METAL DOOR FRAME, 2 HOURS FIRE RATED TIMBER FLUSH DOOR LEAVES WITH EMERGENCY PUSHBAR AND SELF CLOSER DEVICE TO MANUF. DETAIL.

WINDOW SCHEDULE	
SYMBOL	WINDOW TYPE
W1	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W2	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W3	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W4	6mm THK FLOAT GLASS CASSEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME..
W5	6mm THK FLOAT GLASS CASSEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME..
W6	6mm THK FLOAT GLASS CASSEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME..
W7	6mm THK FLOAT GLASS CASSEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME..
W8	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W9	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W10	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W11	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W12	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W13	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W14	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
W15	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.

All designs are the sole property of WFFT Sdn. Bhd. and cannot be used without their permission.
All prints and their copyright are the property of WFFT Sdn. Bhd. and shall be returned at the completion of the work.
All dimension are in METRIC and shall be checked on site before commencing any work. Any discrepancies must be reported immediately to the Architect before proceeding.

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

☐ SCHEMATIC DESIGN

☐ TENDER DRAWING

☐ DESIGN DEVELOPMENT

☐ CONSTRUCTION DRAWING

ARCHITECT :

SUBMITTING ARCHITECT

Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Kecil Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.

Az Lai Sze Chun
B. App. Sc. (Arch), B. (Arch)
APAM M 1984, LAM AL 304

(No. Syarikat: 5202387A)

WFFT Sdn. Bhd.

(No. 1, TINGKAT 16, JALAN TAYLORS,
47500 SUBANG JAYA, SELANGOR
DARUL EHSAN, MALAYSIA.
tel 603 9523 1100 fax 603 2335 5222
email info@wff.com

CIVIL AND STRUCTURE ENGINEER

SHR Sdn. Bhd.

(No. Syarikat: 12384P)

a No 37/5, Jalan 3/2B, Taman Desa Baki, Taman Desa Baki,
68100 Kuala Lumpur, Federal Territory of Kuala Lumpur
tel 603 6136 0840 fax 603 5564 7216
email admin@shrm.com

MECHANICAL AND ELECTRICAL ENGINEER

Integrity Engineering Sdn. Bhd.

(No. Syarikat: 23784H)

a Unit 1-3-1, Aras 3, Wisma Prima Peninsula, Jalan Selawangsia 11, Taman
Selawangsia, 54200 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur
tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR

Perunding RPM Sdn. Bhd.

(No. Syarikat: 125052192)

a Jalan Pekaka 8/4, Kota Damansara,
47810 Petaling Jaya, Selangor
tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com

PROJECT TITLE

CADANGAN PEMBANGUNAN SATU
PERPUSTAKAAN 4 TINGKAT YANG
MENGANDUNGI :
1. 1 TINGKAT KAWASAN MUZIK
CAFE DAN RESTORAN DI
TINGKAT 1.
2. 2 TINGKAT TEMPAT MEMBACA DI
TINGKAT 2 HINGGA TINGKAT 3.
3. 1 TINGKAT RUANG SERBAGUNA DI
TINGKAT 4.
DI ATAS LOT NO. 5-7, JALAN HAJI
SALEH, OFF JALAN SENTUL, MUKIM BATU
KUALA LUMPUR.

CLIENT

MS CHERYL

a No.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA,
SELANGOR DARUL EHSAN, MALAYSIA.
tel 603 9525 5000 fax 603 9525 5001

DRAWING TITLE:

PELAN ARAS BUMBUNG

DRAWING NO. :

2016/ARC3524/BT2/P1/7

DRAWN BY :

LAI SZE CHUN

CHECKED BY:

LAI SZE CHUN

SKALA :

100



TARIKH :

10-10-2016

SHEET NO. :

7

13



All designs are the sole property of WFFT Sdn. Bhd. and cannot be used without their permission.
All prints and their copyright are the property of WFFT Sdn. Bhd. and shall be returned at the completion of the work.
All dimension are in METRIC and shall be checked on site before commencing any work. Any discrepancies must be reported immediately to the Architect before proceeding.

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

- ☐ SCHEMATIC DESIGN ☐ TENDER DRAWING
☐ DESIGN DEVELOPMENT ☐ CONSTRUCTION DRAWING

ARCHITECT :

SUBMITTING ARCHITECT

Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Kecil Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.



Az. Lai Sze Chui
B. App. Sc. (Arch), B. (Arch)
APAM M 1984, LAM AL 324

WFFT Sdn. Bhd. (No. Syarikat: 5202387A)
a NO.1, TINGKAT 16, JALAN TAYLORS,
47500 SUBANG JAYA, SELANGOR
DARUL EHSAN, MALAYSIA.
tel 603 9523 1100 fax 603 2335 5222
email info@wfft.com

CIVIL AND STRUCTURE ENGINEER

SHR Sdn. Bhd. (No. Syarikat: 123254P)

a No 37G, Jalan 3/2B, Taman Desa Baki, Taman Desa Baki,
68100 Kuala Lumpur, Federal Territory of Kuala Lumpur
tel 603 6136 0840 fax 603 5564 7216
email admin@shr.com

MECHANICAL AND ELECTRICAL ENGINEER

Integrity Engineering Sdn. Bhd. (No. Syarikat: 207844E)

a Unit 1-3-1, Aras 3, Wisma Prima Peninsula, Jalan Selawangsa 11, Taman
Selawangsa, 54200 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur
tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR

Perunding RPM Sdn. Bhd. (No. Syarikat: 120102192)

a Jalan Pekaka 8/4, Kota Damansara,
47810 Petaling Jaya, Selangor
tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com

PROJECT TITLE

CADANGAN PEMBANGUNAN SATU
PERPUSTAKAAN 4 TINGKAT YANG
MENGANDUNGI :

1. 1 TINGKAT KAWASAN MUZIK
CAFE DAN RESTORAN DI
TINGKAT 1.
 2. 2 TINGKAT TEMPAT MEMBACA DI
TINGKAT 2 HINGGA TINGKAT 3.
 3. 1 TINGKAT RUANG SERBAGUNA DI
TINGKAT 4.
- DI ATAS LOT NO. 5-7, JALAN HAJI
SALEH, OFF JALAN SENTUL, MUKIM BATU
KUALA LUMPUR.

CLIENT

MS CHERYL

a NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA,
SELANGOR DARUL EHSAN, MALAYSIA.
tel 603 9525 5000 fax 603 9525 5001

DRAWING TITLE:

PANDANGAN HADAPAN & BELAKANG

DRAWING NO. :

2016/ARC3524/BT2/P1/8

DRAWN BY :

HOOI WEI XING

CHECKED BY:

YAP CHUN YEW

SKALA :

100

TARIKH :

10-10-2016

SHEET NO. :

8

13

All designs are the sole property of WFFT Sdn. Bhd. and cannot be used without their permission.
All prints and their copyright are the property of WFFT Sdn. Bhd. and shall be returned at the completion of the work.
All dimension are in METRIC and shall be checked on site before commencing any work. Any discrepancies must be reported immediately to the Architect before proceeding.

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

- | | | | |
|--------------------------|--------------------|--------------------------|----------------------|
| ☐ | SCHEMATIC DESIGN | ☐ | TENDER DRAWING |
| ☐ | DESIGN DEVELOPMENT | ☐ | CONSTRUCTION DRAWING |

ARCHITECT :

SUBMITTING ARCHITECT

Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Kecil Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.



Az. Lai Sze Chun
B. App. Sc. (Arch), B. (Arch)
APAM M 1984, LAM AL 324

WFFT Sdn. Bhd. (No. Syarikat: 5202387A)
a NO.1, TINGKAT 16, JALAN TAYLORS,
47500 SUBANG JAYA, SELANGOR
DARUL EHSAN, MALAYSIA.
tel 603 5623 1100 fax 603 2335 5222
email info@wfft.com

CIVIL AND STRUCTURE ENGINEER

SHR Sdn. Bhd. (No. Syarikat: 123354P)

a No 37/5, Jalan 3/2B, Taman Desa Baki, Taman Desa Baki,
68100 Kuala Lumpur, Federal Territory of Kuala Lumpur
tel 603 6136 0840 fax 603 5564 7216
email admin@shr.com

MECHANICAL AND ELECTRICAL ENGINEER

Integrity Engineering Sdn. Bhd. (No. Syarikat: 237384H)

a Unit 1-3-1, Aras 3, Wisma Prima Peninsula, Jalan Selawangsa 11, Taman
Selawangsa, 54200 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur
tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR

Perunding RPM Sdn. Bhd. (No. Syarikat: 1205021872)

a Jalan Pekaka 8/4, Kota Damansara,
47810 Petaling Jaya, Selangor
tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com

PROJECT TITLE

CADANGAN PEMBANGUNAN SATU
PERPUSTAKAAN 4 TINGKAT YANG
MENGANDUNGI :

1. 1 TINGKAT KAWASAN MUZIK
CAFE DAN RESTORAN DI
TINGKAT 1.
 2. 2 TINGKAT TEMPAT MEMBACA DI
TINGKAT 2 HINGGA TINGKAT 3.
 3. 1 TINGKAT RUANG SERBAGUNA DI
TINGKAT 4.
- DI ATAS LOT NO. 5-7, JALAN HAJI
SALEH, OFF JALAN SENTUL, MUKIM BATU
KUALA LUMPUR.

CLIENT

MS CHERYL

a NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA,
SELANGOR DARUL EHSAN, MALAYSIA.
tel 603 5625 5000 fax 603 5625 5001

DRAWING TITLE:

KERATAN A-A', KERATAN B-B'

DRAWING NO. :

2016/ARC3524/BT2/P1/9

DRAWN BY :
TANG KAR JUN

CHECKED BY :
HOOI WEI XING


SKALA :
100

TARIKH :
10-10-2016

SHEET NO. :

9

13



All designs are the sole property of WFFT Sdn. Bhd. and cannot be used without their permission.
All prints and their copyright are the property of WFFT Sdn. Bhd. and shall be returned at the completion of the work.
All dimension are in METRIC and shall be checked on site before commencing any work. Any discrepancies must be reported immediately to the Architect before proceeding.

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

☐ SCHEMATIC DESIGN

☐ TENDER DRAWING

☐ DESIGN DEVELOPMENT

☐ CONSTRUCTION DRAWING

ARCHITECT :
SUBMITTING ARCHITECT
Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Kecil Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.



Az. Lai Sze Chun
B. App. Sc. (Arch), B. (Arch)
APAM M 1984, LAM AL 324

WFFT Sdn. Bhd. (No. Syarikat: 5202387A)
a NO.1, TINGKAT 16, JALAN TAYLORS,
47500 SUBANG JAYA, SELANGOR
DARUL EHSAN, MALAYSIA.
tel 603 9523 1100 fax 603 2335 5222
email info@wft.com

CIVIL AND STRUCTURE ENGINEER
SHR Sdn. Bhd. (No. Syarikat: 12354P)
a No 37/5, Jalan 3/2B, Taman Desa Baki, Taman Desa Baki,
68100 Kuala Lumpur, Federal Territory of Kuala Lumpur
tel 603 6136 0840 fax 603 5564 7216
email admin@shr.com

MECHANICAL AND ELECTRICAL ENGINEER
Integrity Engineering Sdn. Bhd. (No. Syarikat: 23784H)
a Unit 1-3-1, Aras 3, Wisma Prima Peninsula, Jalan Selawangsa 11, Taman
Selawangsa, 54200 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur
tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR
Perunding RPM Sdn. Bhd. (No. Syarikat: 12354P)
a Jalan Pekaka 8/4, Kota Damansara,
47810 Petaling Jaya, Selangor
tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com

PROJECT TITLE
CADANGAN PEMBANGUNAN SATU
PERPUSTAKAAN 4 TINGKAT YANG
MENGANDUNGI :
1. 1 TINGKAT KAWASAN MUZIK
CAFE DAN RESTORAN DI
TINGKAT 1.
2. 2 TINGKAT TEMPAT MEMBACA DI
TINGKAT 2 HINGGA TINGKAT 3.
3. 1 TINGKAT RUANG SERBAGUNA DI
TINGKAT 4.
DI ATAS LOT NO. 5-7, JALAN HAJI
SALEH, OFF JALAN SENTUL, MUKIM BATU
KUALA LUMPUR.


CLIENT
MS CHERYL
a NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA,
SELANGOR DARUL EHSAN, MALAYSIA.
tel 603 9525 5000 fax 603 9525 5001

DRAWING TITLE:
JADUAL PINTU

DRAWING NO. :
2016/ARC3524/BT2/P1/10
DRAWN BY : LING SIAW ZU
CHECKED BY: YAP CHUN YEW
SKALA : 50
TARIKH : 10-10-2016

SHEET NO. :

DOOR TYPE		D1	D2	D3	D4
FL.LEV ▼					
SIZE (MM)		900 (W) X 2100 (H)	1000 (W) X 2100 (H)	1900 (W) X 2100 (H)	900 (W) X 2100 (H)
DESCRIPTION		50mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR TO MANUF. DETAILS.	50 x 150mm WIDTH ALUMN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMN. DOOR HINGES TO MANUF. DETAIL.	50 x 150mm WIDTH ALUMN. DOOR FRAME, FLUSH GLASS DOOR WITH ALUMN. DOOR HINGES TO MANUF. DETAIL	38mm WIDTH WOODEN DOOR FRAME AND PLYWOOD FLUSH DOOR WITH 150mm HIGH HEELSTONE TO MANUF. DETAIL
NUMBERS	LGF	1	3	1	3
	GF	5	3	—	5
	1F	2	5	—	5
	2F	4	4	1	5
LOCATION		TOILET, MANAGEMENT OFFICE, CONTROL ROOM, RECORDING STUDIO	MUSIC CAFE, COMPUTER ROOM, COFFEE BAR, LIBRARY A, MEETING ROOM, CHILDREN ZONE, TERRACE, NEWSPAPER ARCHIVE	NEWSPAPER ARCHIVE, LIGHT WELL	WC
DOOR TYPE		FD1	SD1	SD2	SD3
FL.LEV ▼					
SIZE (MM)		900 (W) X 2100 (H)	1100 (W) X 2200 (H)	4100 (W) X 2100 (H)	1000 (W) X 2100 (H)
DESCRIPTION		50 x 150mm WIDTH GALVANIZED METAL DOOR FRAME, 2 HOURS FIRE RATED TIMBER FLUSH DOOR LEAVES WITH EMERGENCY PUSHBAR AND SELF CLOSER DEVICE TO MANUF. DETAIL..	FRAMELESS 12Mmm THK FROSTED TEMPERED GLASS SLIDING DOOR PANEL TO MANUF. DETAIL.	NATURAL ANODIZED ALUMN. DOOR SHOP FRONT C/W MOTORIZED 12mm THK CLEAR TEMPERED GLASS DOUBLE SLIDING DOOR TO MANUF. DETAIL.	WOODEN FLUSH SLIDING DOOR WITH PROTECTION PLATE TO MANUF. DETAIL.
NUMBERS	LGF	2	1	—	—
	GF	1	—	1	1
	1F	2	—	—	1
	2F	2	—	—	1
LOCATION		FIRE STAIRCASE, M&E ROOM	KITCHEN	ENTRANCE	OKU WC

DOOR TYPE		D5	
FL.LEV ▼			
SIZE (MM)		8800 (W) X 3200 (H)	
DESCRIPTION		50 x 150mm WIDTH ALUMINUM PIVOT DOOR FRAME, FLUSH GLASS DOOR TO MANUFACTURER'S DETAILS.	
NUMBERS	LGF	—	
	GF	—	
	1F	1	
	2F	1	
LOCATION		INFORMAL READING	

All designs are the sole property of WFFT Sdn. Bhd. and cannot be used without their permission.
All prints and their copyright are the property of WFFT Sdn. Bhd. and shall be returned at the completion of the work.
All dimension are in METRIC and shall be checked on site before commencing any work. Any discrepancies must be reported immediately to the Architect before proceeding.

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

☐ SCHEMATIC DESIGN

☐ TENDER DRAWING

☐ DESIGN DEVELOPMENT

☐ CONSTRUCTION DRAWING

ARCHITECT :
SUBMITTING ARCHITECT
Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menuru kehendak-kehendak Undang-Undang Kecil Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.



Az. Lai Sze Chun
B. App. Sc. (Arch), B. (Arch)
APAM M 1984, LAM AL 324
(No. Sijarah: 5202387A)
WFFT Sdn. Bhd.
a NO.1, TINGKAT 16, JALAN TAYLORS,
47500 SUBANG JAYA, SELANGOR
DARUL EHSAN, MALAYSIA.
tel 603 9523 1100 fax 603 2335 5222
email info@wft.com

CIVIL AND STRUCTURE ENGINEER
SHR Sdn. Bhd. (No. Sijarah: 12354P)
a No 37G, Jalan 3/2B, Taman Desa Baki, Taman Desa Baki,
68100 Kuala Lumpur, Federal Territory of Kuala Lumpur
tel 603 6136 0840 fax 603 5564 7216
email admin@shr.com

MECHANICAL AND ELECTRICAL ENGINEER
Integrity Engineering Sdn. Bhd. (No. Sijarah: 23784H)
a Unit 1-3-1, Aras 3, Wisma Prima Peninsula, Jalan Selawangsa 11, Taman
Selawangsa, 54200 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur
tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR
Perunding RPM Sdn. Bhd. (No. Sijarah: 125102162)
a Jalan Pekaka 8/4, Kota Damansara,
47810 Petaling Jaya, Selangor
tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com

PROJECT TITLE
CADANGAN PEMBANGUNAN SATU
PERPUSTAKAAN 4 TINGKAT YANG
MENGANDUNGI :
1. 1 TINGKAT KAWASAN MUZIK
CAFE DAN RESTORAN DI
TINGKAT 1.
2. 2 TINGKAT TEMPAT MEMBACA DI
TINGKAT 2 HINGGA TINGKAT 3.
3. 1 TINGKAT RUANG SERBAGUNA DI
TINGKAT 4.
DI ATAS LOT NO. 5-7 , JALAN HAJI
SALEH, OFF JALAN SENTUL, MUKIM BATU
KUALA LUMPUR.

CLIENT
MS CHERYL
a NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA,
SELANGOR DARUL EHSAN, MALAYSIA .
tel 603 9525 5000 fax 603 9525 5001

DRAWING TITLE:
JADUAL PINTU

DRAWING NO. :
2016/ARC3524/BT2/P1/11

DRAWN BY : LING SIAW ZU	CHECKED BY: YAP CHUN YEW	SKALA : 50
		TARIKH : 10-10-2016

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

☐ SCHEMATIC DESIGN

☐ TENDER DRAWING

☐ DESIGN DEVELOPMENT

☐ CONSTRUCTION DRAWING

ARCHITECT :
SUBMITTING ARCHITECT
Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Kecil Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.



Az. Lai Sze Chun
B. App. Sc. (Arch), B. (Arch)
APAM M 1964, LAM AL 324

WFFT Sdn. Bhd. (No. Syarikat: 5202387A)
a NO.1, TINGKAT 16, JALAN TAYLORS,
47500 SUBANG JAYA, SELANGOR
DARUL EHSAN, MALAYSIA.
tel 603 5623 1100 fax 603 2335 5222
email info@wft.com

CIVIL AND STRUCTURE ENGINEER
SHR Sdn. Bhd. (No. Syarikat: 123264P)
a NO.375, Jalan 3/2B, Taman Desa Baki, Taman Desa Baki,
68100 Kuala Lumpur, Federal Territory of Kuala Lumpur
tel 603 6136 0840 fax 603 5564 7216
email admin@shr.com

MECHANICAL AND ELECTRICAL ENGINEER
Integrity Engineering Sdn. Bhd. (No. Syarikat: 217384H)
a Unit 1-3-1, Aras 3, Wisma Prima Peninsula, Jalan Selawangsa 11, Taman
Selawangsa, 54200 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur
tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR
Perunding RPM Sdn. Bhd. (No. Syarikat: 120162162)
a Jalan Pekaka 8/4, Kota Damansara,
47810 Petaling Jaya, Selangor
tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com

PROJECT TITLE
CADANGAN PEMBANGUNAN SATU
PERPUSTAKAAN 4 TINGKAT YANG
MENGANDUNGI :
1. 1 TINGKAT KAWASAN MUZIK
CAFE DAN RESTORAN DI
TINGKAT 1.
2. 2 TINGKAT TEMPAT MEMBACA DI
TINGKAT 2 HINGGA TINGKAT 3.
3. 1 TINGKAT RUANG SERBAGUNA DI
TINGKAT 4.
DI ATAS LOT NO. 5-7 , JALAN HAJI
SALEH, OFF JALAN SENTUL, MUKIM BATU
KUALA LUMPUR.

CLIENT
MS CHERYL
a NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA,
SELANGOR DARUL EHSAN, MALAYSIA .
tel 603 5625 5000 fax 603 5625 5001

DRAWING TITLE:
JADUAL TINGKAP

DRAWING NO. :
2016/ARC3524/BT2/P/1/12

DRAWN BY :
LING SIAW ZU

CHECKED BY:
YAP CHUN YEW

SKALA :
50
TARIKH :
10-10-2016

SHEET NO. :

WINDOW TYPE	W1	W2	W3	W4
FL.LEV ▼				
SIZE (MM)	1100 (W) X 3200 (H)	1250 (W) X 3200 (H)	3200 (W) X 3200 (H)	5300 (W) X 3200 (H)
DESCRIPTION	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
NUMBERS	LGF	1	2	-
	GF	-	1	-
	1F	1	1	-
	2F	-	1	1
LOCATION	CHILDREN ZONE	KITCHEN, PUBLIC READING AREA, LIBRARY A, CHILDREN ZONE, NEWSPAPER ARCHIVE	MUSIC CAFE, PUBLIC READING AREA, LIBRARY A, CHILDREN ZONE	NEWSPAPER ARCHIVE
WINDOW TYPE	W5	W6	W7	W8
FL.LEV ▼				
SIZE (MM)	1150 (W) X 1500 (H)	2250 (W) X 1500 (H)	2800 (W) X 1500 (H)	4450 (W) X 2500 (H)
DESCRIPTION	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME..	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.	6mm THK FLOAT GLASS CASEMENT WINDOW WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
NUMBERS	LGF	1	-	-
	GF	-	1	1
	1F	-	-	2
	2F	-	-	2
LOCATION	KITCHEN	CIVIC SPACE	COMPUTER ROOM	COFFEE BAR, INFORMAL READING, LIBRARY A, CHILDREN ZONE

All designs are the sole property of WFFT Sdn. Bhd. and cannot be used without their permission.
All prints and their copyright are the property of WFFT Sdn. Bhd. and shall be returned at the completion of the work.
All dimension are in METRIC and shall be checked on site before commencing any work. Any discrepancies must be reported immediately to the Architect before proceeding.

SENTUL COMMUNITY LIBRARY

DRAWING STATUS:

☐ SCHEMATIC DESIGN

☐ TENDER DRAWING

☐ DESIGN DEVELOPMENT

☐ CONSTRUCTION DRAWING

ARCHITECT :
SUBMITTING ARCHITECT
Saya memperakui bahawa perinci-perinci dalam pelan-pelan ini adalah menurut kehendak-kehendak Undang-Undang Kecil Bangunan Seragam 1984 dan saya setuju terima tanggungjawab penuh dengan sewajarnya.



Az. Lai Sze Chun
B. Agr. Sc. (Arch), B. (Arch)
APAM M 1664, LAM AL 324

WFFT Sdn. Bhd. (No. Syarikat: 5202367A)
a NO.1, TINGKAT 16, JALAN TAYLORS,
47500 SUBANG JAYA, SELANGOR
DARUL EHSAN, MALAYSIA.
tel 603 9523 1100 fax 603 2335 5222
email info@wft.com

CIVIL AND STRUCTURE ENGINEER
SHR Sdn. Bhd. (No. Syarikat: 123264P)
a NO 37/5, Jalan 3/2B, Taman Desa Baki, Taman Desa Baki,
68100 Kuala Lumpur, Federal Territory of Kuala Lumpur
tel 603 6136 0840 fax 603 5564 7216
email admin@shr.com

MECHANICAL AND ELECTRICAL ENGINEER
Integrity Engineering Sdn. Bhd. (No. Syarikat: 217364H)
a Unit 1-3-1, Aras 3, Wisma Prima Peninsula, Jalan Selawangsa 11, Taman
Selawangsa, 54200 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur
tel 603 4142 1479 fax 603 1538 2258
email admin@integritye.com

QUANTITY SURVEYOR
Perunding RPM Sdn. Bhd. (No. Syarikat: 120162162)
a Jalan Pekaka 8/4, Kota Damansara,
47810 Petaling Jaya, Selangor
tel 603 6148 1120 fax 603 6148 1120
email rpmconsultant@gmail.com

PROJECT TITLE
CADANGAN PEMBANGUNAN SATU
PERPUSTAKAAN 4 TINGKAT YANG
MENGANDUNGI :
1. 1 TINGKAT KAWASAN MUZIK
CAFE DAN RESTORAN DI
TINGKAT 1.
2. 2 TINGKAT TEMPAT MEMBACA DI
TINGKAT 2 HINGGA TINGKAT 3.
3. 1 TINGKAT RUANG SERBAGUNA DI
TINGKAT 4.
DI ATAS LOT NO. 5-7, JALAN HAJI
SALEH, OFF JALAN SENTUL, MUKIM BATU
KUALA LUMPUR.

CLIENT
MS CHERYL
a NO.1, TINGKAT 16, JALAN TAYLORS, 47500 SUBANG JAYA,
SELANGOR DARUL EHSAN, MALAYSIA.
tel 603 9525 5000 fax 603 9525 5001

DRAWING TITLE:
JADUAL TINGKAP

DRAWING NO. :
2016/ARC3524/BT2/P1/13

DRAWN BY : LING SIAW ZU	CHECKED BY: YAP CHUN YEW	SKALA : 50
		TARIKH : 10-10-2016

SHEET NO. :

WINDOW TYPE	W9	W10	W11	W12
FL.LEV ▾				
SIZE (MM)	5500 (W) X 3200 (H)	3300 (W) X 3200 (H)	4150 (W) X 3200 (H)	6250 (W) X 3200 (H)
DESCRIPTION	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME..	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.
NUMBERS	LGF	1	–	–
	GF	1	–	–
	1F	1	2	1
	2F	1	–	–
LOCATION	STARICASE	MEETING ROOM 1	MEETING ROOM 2, MEETING ROOM 3	MEETING ROOM 4
WINDOW TYPE	W13	W14		
FL.LEV ▾				
SIZE (MM)	3000 (W) X 1000 (H)	3900 (W) X 1000 (H)		
DESCRIPTION	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.	6mm THK FLOAT GLASS WITH 50mm THK NATURAL ANODIZED ALUMINUM WINDOW FRAME.		
NUMBERS	LGF	–		
	GF	1		
	1F	–		
	2F	–		
LOCATION	CONTROL ROOM	CONTROL ROOM		